

(According to regulation (EC) 1907/2006 and amendments)

Product Name: Fecal Adenovirus Antigen Test

Catalog #: RAPEPKT918

SECTION 1. Identification of the Substance/Mixture and of the Company/Undertaking

1.1. Product Identifier

Trade Name (As Labeled): Fecal Adenovirus Antigen Test

Catalog Number: RAPEPKT918

Kit Components: Sample collection tubes

Strips

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Product Use Information: This Adenovirus antigen test kit is intended for the direct qualitative detection of the

presence of adenovirus antigen in patient fecal samples. The test might be used as an aid

for detecting patients with acute gastroenteritis infected with adenovirus. It is for professional use only.

Uses Advised Against No information available.

1.3. Details of the Supplier of the Safety Data Sheet

Manufacturer's Name: DIAsource ImmunoAssays S.A.

Address: Rue du Bosquet,2

B-1348 Louvain-la-Nauve

Belgium

Telephone: + 32 (0) 10/84.99.11

E-mail address: products.support@diasource.be

1.4. Emergency Telephone Number

DIAsource (only office hours): + 32 (0) 10.84.99.11 **Centre Anti-Poisons (BE):** 070 245 245

Local Anti-Poison Center: Please refer to your local Anti-Poison Center!

SECTION 2. Hazards Identification

2.1. Classification of the Substance or Mixture

This substance does not meet the classification criteria to be listed as a hazardous material according to the Regulation (EC) No. 1272/2008 (CLP/EU-GHS), 29 CFR 1910.1200 (OSHA): Contains Sodium Azide (less than 0.1%) – not a hazardous substance at this concentration.

2.2. <u>Label Elements</u>

Emergency Overview:

This Fecal Adenovirus Antigen Rapid Test Kit contains components making up this rapid test kit. The kit contains dried reagents immobilized on the membrane and the liquid in the sample collection tubes. This product is used in laboratories for human stool sample testing.

Health Hazards: Possible skin and eye irritant.

Printing date 18/09/23 Compiled by: Page 1/11

DIAsource ImmunoAssays S.A

2 rue du Bosquet



(According to regulation (EC) 1907/2006 and amendments)

Product Name: Fecal Adenovirus Antigen Test

Catalog #: RAPEPKT918

Flammability Hazards: Non-Flammable solution.

Reactivity Hazards: None Known.

Environmental Hazards: Not expected to have significant environmental effects.

Emergency Considerations: Emergency responders must wear the proper personal protective equipments (and have

appropriate fire-suppression equipment) suitable for the situation to which they are

responding.

Hazard Communication

Hazard Determining

Components of Labeling: Not Applicabe.

GHS Pictogram: Not Applicabe.

Signal Words: Not Applicabe.

Hazard Statement(s): Not Applicabe.

Precautionary Statement

Prevention:

Not Applicabe.

Precautionary Statement

Response:

Not Applicabe.

Precautionary Statement

Storage:

Not Applicabe.

Precautionary Statement

Disposal

Not Applicabe.

Health Hazards or Risk from Exposure:

Prolonged contact with the components in this kit may irritate the skin. Contact with eyes may cause irritation or redness. This product is designed to be used in a laboratory environment.

Acute: Individuals using this product should be wearing the proper personal protective

equipment to prevent skin and eye contact.

Chronic: None known.

2.3. Other Hazards - None

SECTION 3. Composition/Information on Ingredients

3.1. Substances

This substance is a mixture.

Printing date 18/09/23 Compiled by: Page 2/11

DIAsource ImmunoAssays S.A

2 rue du Bosquet

B DiaSource®

MATERIEL SAFETY DATA SHEET

(According to regulation (EC) 1907/2006 and amendments) Product Name: Fecal Adenovirus Antigen Test

Catalog #: RAPEPKT918

3.2. Mixtures

C	zard Classification: Calprotectin Sample Extraction Buffer	CAS#	EINECS#	Amount	EC 1272/2008 Annex VI, Part 3 Classification
	Sodium Azide	26628-22-8	247-852-1	< 0.1%	Not hazardous at this concentration.

SECTION 4. First-Aid Measures

4.1. Description of First Aid Measures

Contaminated individuals of chemical exposure must be taken for medical attention if any adverse effect occurs. Rescuers should be taken for medical attention, if necessary. Take a copy of the label and SDS to a health professional with the contaminated individual.

Eye Contact: If chemical contacts the eye, open victim's eyes while under gentle running water. Use

sufficient force to open eyelids. Have victim "roll" eyes. Minimum flushing is for 15 minutes. Remove contact lenses, if worn. Seek medical attention is irritation persists.

Skin Contact: Wash contacted area with soap and water. Remove exposed or contaminated clothing,

taking care not to contaminate eyes. Seek medical attention if irritation develops or

persists.

Inhalation: Not a normal route of entry; however, if chemical is inhaled, or breathing becomes

difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital

functions. Seek medical attention.

Ingestion: If chemical is swallowed, call physician or poison control center for most current

information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Victims of chemical exposure must be taken for medical attention. Rescuers should be taken for medical attention, if necessary. Take a

copy of the label and SDS with the victim to the health professional.

4.2. Most Important Symptoms and Effects, Both Acute and Delayed

The most important symptoms and effects are described in the labeling (see section 2.2) and/or in section 11.

4.3. Indication of any Immediate Medical Attention and Special Treatment Needed

Medical Conditions Aggravated by Exposure: None known.

Printing date 18/09/23

Recommendations to Physicals: Treat symptoms and eliminate overexposure.





(According to regulation (EC) 1907/2006 and amendments)

Product Name: Fecal Adenovirus Antigen Test

Catalog #: RAPEPKT918

SECTION 5. Firefighting Measures





5.1. Extinguishing Media

Fire Extinguishing Materials: Use extinguishing materials appropriate for surrounding fire.

Unsuitable Extinguishing

Media:

For this substance/mixture, no limitations of extinguishing agents are given.

5.2. Special Hazards Arising from the Substance or Mixture

Unusual Fire and Explosive

Hazards:

The product is a water based mixture with no known fire or explosion hazards.

Explosion Sensitivity to Mechanical Impact:

Not sensitive.

Explosion Sensitivity to Static

Discharge:

Not sensitive.

Flash Point: Non-flammable.

Auto-ignition Temperature: Not applicable.

Flammable Limits (%): Lower and Upper: Not Applicable.

5.3. Advice for Firefighters

Special Fire-Fighting Procedures:

Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or environmentally sensitive areas.

Printing date 18/09/23 Compiled by: Page 4/11

DIAsource ImmunoAssays S.A

2 rue du Bosquet



(According to regulation (EC) 1907/2006 and amendments)

Product Name: Fecal Adenovirus Antigen Test

Catalog #: RAPEPKT918

SECTION 6. Accidental Release Measures

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

Spill and Leak Response: Proper protective equipment should be used. Personnel should be trained for spill response

operations.

Spills: Trained personnel following pre-planned procedures should handle non-incidental

releases. Absorb spilled materials using polypads or other suitable absorbent material. Place all spill residue in an appropriate container and seal. Decontaminate the area thoroughly. Do not mix with wastes from other materials. Dispose of in accordance with

applicable Federal, State, and local procedures.

6.2 Environmental Precautions

Prevent further spillage if safe. Clean spillage area thoroughly and dispose of as described in section 6.1.

6.3 Methods and Material for Containment and Cleaning up

Absorb spilled materials using polypads or other suitable absorbent material. Place all spill residue in an appropriate container and seal. Decontaminate the area thoroughly. Do not mix with wastes from other materials. Dispose of in accordance with applicable Federal, State, and local procedures.

6.4 Reference to Other Sections

For further information, see section(s) 2,8, 13.

SECTION 7. Handling and Storage

7.1. Precautions for Safe Handling

Work and Hygiene Practices: As with all chemicals, avoid getting this product on you or in you. Wash thoroughly after

> handling this product. Do not eat, drink, smoke, or apply cosmetics while handling this product. Avoid breathing mists or sprays generated by this product. Use in a well-

ventilated location. Remove contaminated clothing immediately.

7.2. Conditions for Safe Storage, Including any Incompatibilities

Storage and Handling

Practices:

Store product in properly labeled, closed containers at temperatures between 2-8°C.

Protect from physical damage. Keep containers closed when not in use.

7.3. Specific End Use(s)

Apart from the uses mentioned in section 1.2, no other specific uses are stipulated.

SECTION 8. Exposure Controls/Personal Protection

8.1. Control Parameters

Ventilation and Engineering Controls:

Use with adequate ventilation to ensure exposure levels are maintained below the established limits. Currently, International exposure limits are not established for all

components of this product.

Please check with competent authority in each country for the most recent limits in place.

Printing date 18/09/23 Compiled by: Page 5/11

DIAsource ImmunoAssays S.A

2 rue du Bosquet



(According to regulation (EC) 1907/2006 and amendments) Product Name: Fecal Adenovirus Antigen Test

Catalog #: RAPEPKT918

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standards of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable standards for relevant details.

8.2. Exposure Controls

Respiratory Protection: If exposure limits are exceeded, use only respiratory protection authorized in the US

Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent US State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU

member states.

Eye Protection: Splash goggles or safety glasses with side shields recommended. If necessary, refer to US

OSHA29 CFR 1910.133, Canadian Standards, and the European Standard EN166,

Australian Standards, or relevant Japanese Standards.

Hand Protection: Compatible protective gloves recommended. Wash hands after removing gloves. If

necessary refer to US OSHA 29 CFR 1910.133, Canadian Standards, and the European

Standard EN166, Australian Standards, or relevant Japanese Standards.

Body Protection: Use body protection appropriate for task. Coveralls, rubber aprons, or chemical protective

clothing made from natural rubber are generally acceptable, depending upon the task. If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as

described in US OSHA 29 CFR 1910.139.

SECTION 9. Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

Vapor Density: Not Applicable

Specific Gravity @ 20^{\circ}C: No data, (water = 1).

Vapor Pressure: No data @ 20°C.

Physical State: Liquid.

Density and/or Relative

Density:

No data available.

Color: Clear to yellowish

Odor: Odorless

Odor Threshold: Not Applicable

Evaporation Rate (n –BaAC =1):

Not Applicable

Melting Point/Freezing Point: Not established.

Boiling Point or Initial Boiling

Point and Boiling Range:

Not established

Printing date 18/09/23 Compiled by: Page 6/11

DIAsource ImmunoAssays S.A

2 rue du Bosquet



(According to regulation (EC) 1907/2006 and amendments) Product Name: Fecal Adenovirus Antigen Test

Catalog #: RAPEPKT918

Flammability: Not Flammable

Lower and Upper Explosion

Limit:

Not Applicable

Flash Point: No data available.

Auto-Ignition Temperature: No data available.

Decomposition Temperature: No data available.

Kinematic Viscosity: No data available.

Solubility in Water: Soluble.

pH: Not established.

Partition Coefficient noctanol/water (log value): Not Applicable.

Particle Characteristics Not Applicable.

9.2. Other Information – None.

SECTION 10. Stability and Reactivity

10.1. Reactivity

No data available.

10.2. Chemical Stability

Stable under ordinary conditions of use and storage.

10.3. Possibility of Hazardous Reactions

Hazardous depolymerization will not occur.

10.4. Conditions to Avoid

Temperatures above or below the recommended storage range.

10.5. <u>Incompatible Materials</u>

No information available.

10.6. <u>Hazardous Decomposition Products</u>

When stored as labeled, no known hazardous decomposition products are formed during the shelf-life of this product.

Printing date 18/09/23 Compiled by: Page 7/11

DIAsource ImmunoAssays S.A 2 rue du Bosquet



(According to regulation (EC) 1907/2006 and amendments)

Product Name: Fecal Adenovirus Antigen Test

Catalog #: RAPEPKT918

SECTION 11. Toxicology Information

11.1. Information on Hazard Classes as Defined in Regulation (EC) No 1272/2008

Acute Toxicity: Oral: No data available.

Inhalation: No data available. Dermal: No data available.

Skin Corrosion/Irritation: No data available. Irritancy of product not known.

Serious Eye Damage/Irritation: No data available.

Respiratory or SkinNo data available. This product is not known to cause human or respiratory

Sensitization: sensitization.

Germ Cell Mutagenicity: No data available.

Carcinogenicity: Suspected Cancer Agent: The components of this product are not listed by agencies

tracking the carcinogenic potential of chemical compounds

as follows:

NTP Regulated: No IARC Regulated: No OSHA Regulated: No

Reproductive Toxicity: Listed below is information concerning the effects of this product and its components

on the human reproductive system.

Mutagenicity: The components of this product are not reported to produce

mutagenic effects in humans.

Embryotoxicity: The components of this product are not reported to produce

embryotoxic effects in humans.

Teratogenicity: The components of this product are not reported to produce

teratogenic effects in humans.

Reproductive Toxicity: The components of this product are not reported to produce

reproductive effects in humans.

STOT-Single Exposure: No data available.
STOT-Repeated Exposure: No data available.
Aspiration Hazard: No data available.

11.2. <u>Information on Other Hazards</u>

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately.

SECTION 12. Ecological Information

12.1. Toxicity

No data available.

12.2. Persistence and Degradability

No data available.

12.3. Bioaccumulative Potential

Printing date 18/09/23 Compiled by: Page 8/11

DIAsource ImmunoAssays S.A

2 rue du Bosquet



(According to regulation (EC) 1907/2006 and amendments)

Product Name: Fecal Adenovirus Antigen Test

Catalog #: RAPEPKT918

No data available.

12.4. Mobility in Soil

No data available.

12.5. Results of PBT and vPvB Assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6. Endocrine Disrupting Properties

No data available.

12.7. Other Adverse Effects

All work practices must be aimed at eliminating environmental contamination.

Environmental Fate: No data available.

SECTION 13. Disposal Considerations

13.1. Waste Treatment Methods

Preparing waste for disposal: Waste disposal must be in accordance with appropriate US Federal, State, and local

regulations, those of Canada, Australia, EU Member States, and Japan.

SECTION 14. Transport Information

14.1. UN Number or ID Number

UN Number: None. This product is not classified as dangerous goods

DOT Classification: Non-regulated material. This product is not classified as dangerous goods

DOT Labeling Requirements:None. This product is not classified as dangerous goods

IATA Labeling Requirements: None. This product is not classified as dangerous goods

14.2. UN Proper Shipping Name

None. This product is not classified as dangerous goods.

14.3. Transport Hazard Class(es)

US Department of Transportation (DOT) Shipping

This product is not classified as dangerous goods, per US

Regulation: DOT regulations, under 49 CFR 172.101.

Transport Canada, Transportation of Dangerous GoodsThis product is not classified as Dangerous Goods, per

Regulation: regulations of Transport Canada.

International Air Transport Association (IATA): This product is not classified as Dangerous Goods, by rules

of IATA.

Printing date 18/09/23 Compiled by: Page 9/11

DIAcource Immuno Accave S

DIAsource ImmunoAssays S.A

2 rue du Bosquet



(According to regulation (EC) 1907/2006 and amendments)

Product Name: Fecal Adenovirus Antigen Test

Catalog #: RAPEPKT918

International Maritime Organization (IMO) Designation:

European Agreement Converning the International Carriage of Dangerous Goods by Road (ADR)

This product is not classified as Dangerous Goods by the

International Maritime Organization.

This product is not classified by the United Nations Economic Commission for Europe to be dangerous goods.

14.4. Packing Group

This product is not classified as dangerous goods.

14.5. Environmental Hazards

This product is not classified as dangerous goods.

14.6. Special Precautions for User

This product is not classified as dangerous goods.

14.7. Marinetime Transport in Bulk According to IMO Instruments

This product is not classified as dangerous goods.

SECTION 15. Regulatory Information

15.1. Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

United States Regulations:

Sara Reporting Requirements: None.

Marine Pollutant: This product contains no components listed as a Marine Pollutant under 49 CFR 172.101,

Appendix B.

TSCA: All components in this product mixture are listed on the US Toxic Substances Control Act

(TSCA) inventory of chemicals or are exempt from listing.

SARA 311/312: None.

US CERCLA Reportable

Quantity (RQ): None.

US TSCA Inventory Status: All of the components of this product are listed in the TSCA Inventory or exempt.

California Safe Drinking Water and Toxic Enforcement Act

(Proposition 65):

This product does not contain any component above the 0.1% level which is listed as a

California Proposition 65 chemical.

Note: the chemical identity of some or all components present is confidential business information (trade secret) and is being withheld as permitted by 29 CFR 1910.1200 (i).

Canadian Regulations:

Canadian DSL/INDSL Inventory Status:

All of the components of this product are on the DSL Inventory or exempt.

Canadian Environmental Protection Act (CEPA) Priorities Substances Lists: No component of this product is on the CEPA First Priorities Substance Lists.

Printing date 18/09/23 Compiled by: Page 10/11

DIAsource ImmunoAssays S.A

2 rue du Bosquet



(According to regulation (EC) 1907/2006 and amendments) Product Name: Fecal Adenovirus Antigen Test

Catalog #: RAPEPKT918

Canadian Whims Classification Not regulated. **and Symbols:**

15.2. Chemical Safety Assessment

Chemical safety assessment not available.

SECTION 16. Other Information

All chemicals may pose unknown hazards and should be used with cautions. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, DIAsource ImmunoAssays S.A. assumes no responsibility for the completeness or accuracy of the information contained herein. Users should consider this data as only a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials, as well as the safety and health of employees, customers, and protection of the environment.

Hazard Statements

Precautionary Statements

Not Applicable.

Not Applicable.

MSDS established: 2023-09-188

Revision number: 3